

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991


Result: Analysis Report

Sample Name: T1522 - Sample 1 - Precip 1 - Average
SOP Name: Hematite
Job #: T1522
Measured: Tuesday, 19 November 2013 7:49:47 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.761 %
Obscuration: 11.31 %
Span : 1.114
d (0.5) : 315.901 um
d (0.8) : 448.922 um
d (1.0) : 803.67 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	1.21	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	2.52	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	4.36	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	6.63	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	8.96	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	11.00	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	12.28	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.03	316.228	12.28	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.13	363.078	12.56	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.26	416.869	11.74	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.37	478.630	9.96	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.45	549.541	7.58	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.46	630.957	4.97	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.39	724.436	2.54	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.27	831.764	0.57	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.15	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.16	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226	0.46	1258.925	0.00		

Particle Size Distribution



T1522 - Sample 1 - Precip 1 - Average, Tuesday, 19 November 2013 7:49:47 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 1 - Precip 1 rep - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 3:38:54 PM
Particle RI: 2.940
Absorption: 1


Weighted Residual: 1.403 %
Obscuration: 10.70 %
Span : 1.006
d (0.5) : 337.132 um
d (0.8) : 465.913 um
d (1.0) : 908.47 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	0.20	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	1.20	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	2.93	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	5.46	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	8.41	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	11.29	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	13.34	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.00	316.228	14.07	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.03	363.078	13.26	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.07	416.869	11.16	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.14	478.630	8.34	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.14	549.541	5.42	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.11	630.957	2.95	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.04	724.436	1.16	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.00	831.764	0.17	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.00	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.00	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226	0.00	1258.925	0.00		



T1522 - Sample 1 - Precip 1 rep - Average, Tuesday, 19 November 2013 3:38:54 PM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991


Result: Analysis Report

Sample Name: T1522 -Sample 2 - Precip 2 - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 9:42:47 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.947 %
Obscuration: 7.27 %
Span : 1.135
d (0.5) : 310.124 **um**
d (0.8) : 445.892 **um**
d (1.0) : 804.729 **um**

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	1.76	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	3.31	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	5.26	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	7.47	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	9.57	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	11.26	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	12.19	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.00	316.228	12.19	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.00	363.078	11.22	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.00	416.869	9.43	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.00	478.630	7.18	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.00	549.541	4.77	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.00	630.957	2.69	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.00	724.436	0.79	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.01	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.15	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.75	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226		1258.925	0.00		

Particle Size Distribution



T1522 -Sample 2 - Precip 2 - Average, Tuesday, 19 November 2013 9:42:47 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


Result: Analysis Report

Sample Name: T1522 - Sample 2 - Precip 2 rep - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 3:26:51 PM
Particle RI: 2.940
Absorption: 1

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Weighted Residual: 1.852 %
Obscuration: 8.38 %
Span : 1.142
d (0.5) : 321.187 um
d (0.8) : 462.636 um
d (1.0) : 927.214 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	1.54	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	2.96	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	4.78	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	6.90	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	8.99	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	10.79	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	11.93	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.00	316.228	12.19	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.00	363.078	11.50	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.00	416.869	9.94	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.00	478.630	7.82	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.00	549.541	5.41	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.00	630.957	3.23	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.00	724.436	1.17	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.00	831.764	0.12	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.00	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.09	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226	0.63	1258.925	0.00		



T1522 - Sample 2 - Precip 2 rep - Average, Tuesday, 19 November 2013 3:26:51 PM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991


Result: Analysis Report

Sample Name: T1522 - Sample 3 - Precip 3 - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 10:35:19 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.546 %
Obscuration: 7.65 %
Span : 1.115
d (0.5) : 293.265 **um**
d (0.8) : 418.969 **um**
d (1.0) : 799.995 **um**


Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	2.28	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	4.04	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	6.12	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	8.37	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	10.39	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	11.87	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	12.49	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.00	316.228	12.09	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.00	363.078	10.72	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.00	416.869	8.59	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.00	478.630	6.12	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.00	549.541	3.70	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.00	630.957	1.66	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.00	724.436	0.29	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.00	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.00	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.19	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226	1.09	1258.925	0.00		

Particle Size Distribution



T1522 - Sample 3 - Precip 3 - Average, Tuesday, 19 November 2013 10:35:19 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991


Result: Analysis Report

Sample Name: T1522 - Sample 3 - Precip 3 rep - Average
SOP Name: Hematite
Job #: T1522
Measured: Wednesday, 20 November 2013 11:57:15 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 0.914 %
Obscuration: 9.28 %
Span : 1.206
d (0.5) : 286.115 um
d (0.8) : 418.035 um
d (1.0) : 801.944 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	2.84	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	4.43	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	6.26	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	8.19	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	9.89	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.03	239.883	11.13	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.12	275.423	11.63	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.17	316.228	11.28	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.20	363.078	10.09	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.21	416.869	8.23	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.18	478.630	6.01	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.13	549.541	3.77	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.09	630.957	1.81	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.14	724.436	0.37	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.35	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.82	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	1.64	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226		1258.925	0.00		

Particle Size Distribution



T1522 - Sample 3 - Precip 3 rep - Average, Wednesday, 20 November 2013 11:57:15 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991


Result: Analysis Report

Sample Name: T1522 - Sample 4 - AMV Thickener UF - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 7:36:12 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.601 %
Obscuration: 24.72 %
Span : 1.366

d (0.5) : 326.202 um
d (0.8) : 486.241 um
d (1.0) : 1053.785 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.28	120.226	1.02	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.03	13.183	0.30	138.038	2.09	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.06	15.136	0.34	158.489	3.56	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.07	17.378	0.37	181.970	5.37	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.08	19.953	0.42	208.930	7.28	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.09	22.909	0.47	239.883	9.06	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.09	26.303	0.53	275.423	10.37	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.10	30.200	0.59	316.228	10.99	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.11	34.674	0.63	363.078	10.75	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.12	39.811	0.64	416.869	9.69	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.14	45.709	0.60	478.630	8.00	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.15	52.481	0.50	549.541	5.97	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.17	60.256	0.35	630.957	3.93	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.18	69.183	0.19	724.436	2.21	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.20	79.433	0.06	831.764	0.83	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.23	91.201	0.09	954.993	0.07	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.25	104.713	0.39	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482		120.226		1258.925			



T1522 - Sample 4 - AMV Thickener UF - Average, Thursday, 21 November 2013 7:36:12 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 4 - AMV Thickener UF rep - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 7:47:00 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.386 %
Obscuration: 10.81 %
Span : 1.309
d (0.5) : 339.884 um
d (0.8) : 502.443 um
d (1.0) : 970.995 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.23	120.226	0.83	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.25	138.038	1.80	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.05	15.136	0.28	158.489	3.18	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.06	17.378	0.30	181.970	4.95	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.07	19.953	0.34	208.930	6.88	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.08	22.909	0.38	239.883	8.76	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.08	26.303	0.44	275.423	10.25	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.09	30.200	0.50	316.228	11.10	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.10	34.674	0.55	363.078	11.11	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.10	39.811	0.57	416.869	10.26	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.11	45.709	0.56	478.630	8.69	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.13	52.481	0.48	549.541	6.66	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.14	60.256	0.36	630.957	4.49	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.16	69.183	0.20	724.436	2.54	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.17	79.433	0.07	831.764	0.88	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.19	91.201	0.06	954.993	0.01	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.21	104.713	0.28	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482		120.226		1258.925			



T1522 - Sample 4 - AMV Thickener UF rep - Average, Thursday, 21 November 2013 7:47:00 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415

49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991


Result: Analysis Report

Sample Name: T1522 - Sample 5 - AMV Filter Belt - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 7:13:54 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.529 %
Obscuration: 16.86 %
Span : 1.371


d (0.5) : 318.044 um
d (0.8) : 475.327 um
d (1.0) : 929.574 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.16	120.226	1.65	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.18	138.038	2.68	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.21	158.489	4.04	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.04	17.378	0.25	181.970	5.68	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.04	19.953	0.29	208.930	7.41	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.04	22.909	0.36	239.883	9.02	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.06	26.303	0.43	275.423	10.21	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.07	30.200	0.50	316.228	10.78	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.07	34.674	0.56	363.078	10.56	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.08	39.811	0.60	416.869	9.54	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.08	45.709	0.60	478.630	7.88	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.09	52.481	0.56	549.541	5.83	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.10	60.256	0.50	630.957	3.72	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.11	69.183	0.45	724.436	1.79	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.13	79.433	0.46	831.764	0.35	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.14	91.201	0.60	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.15	104.713	0.98	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482		120.226		1258.925			



T1522 - Sample 5 - AMV Filter Belt - Average, Thursday, 21 November 2013 7:13:54 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 5 - AMV Filter Belt rep - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 7:25:17 AM
Particle RI: 2.940
Absorption: 1


Weighted Residual: 1.321 %
Obscuration: 12.33 %
Span : 1.498
d (0.5) : 311.531 um
d (0.8) : 473.939 um
d (1.0) : 934.548 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.19	120.226	1.83	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.22	138.038	2.80	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.03	15.136	0.26	158.489	4.06	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.06	17.378	0.31	181.970	5.59	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.06	19.953	0.37	208.930	7.19	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.06	22.909	0.44	239.883	8.68	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.07	26.303	0.52	275.423	9.79	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.07	30.200	0.60	316.228	10.30	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.08	34.674	0.67	363.078	10.08	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.09	39.811	0.72	416.869	9.12	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.10	45.709	0.73	478.630	7.56	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.11	52.481	0.71	549.541	5.64	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.12	60.256	0.67	630.957	3.68	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.13	69.183	0.64	724.436	1.95	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.14	79.433	0.67	831.764	0.57	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.15	91.201	0.83	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.17	104.713	1.19	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482		120.226		1258.925	0.00		



T1522 - Sample 5 - AMV Filter Belt rep - Average, Thursday, 21 November 2013 7:25:17 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 6 - R.Kiln 2 Feed - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 11:04:06 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 0.662 %
Obscuration: 7.93 %
Span : 3.324
d (0.5) : 124.068 **um**
d (0.8) : 310.086 **um**
d (1.0) : 1082.854 **um**

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.07	11.482	0.49	120.226	4.60	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.07	13.183	0.62	138.038	4.60	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.07	15.136	0.79	158.489	4.58	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.08	17.378	1.02	181.970	4.55	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.09	19.953	1.30	208.930	4.51	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.10	22.909	1.64	239.883	4.45	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.11	26.303	2.02	275.423	4.45	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.13	30.200	2.42	316.228	4.15	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.15	34.674	2.83	363.078	3.83	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.16	39.811	3.22	416.869	3.38	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.19	45.709	3.57	478.630	2.82	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.21	52.481	3.87	549.541	2.17	5754.399	0.00
0.052	0.00	0.550	0.01	5.754	0.23	60.256	4.11	630.957	1.52	6606.934	0.00
0.060	0.00	0.631	0.05	6.607	0.26	69.183	4.30	724.436	0.94	7585.776	0.00
0.069	0.00	0.724	0.06	7.586	0.29	79.433	4.44	831.764	0.44	8709.636	0.00
0.079	0.00	0.832	0.06	8.710	0.34	91.201	4.53	954.993	0.14	10000.000	0.00
0.091	0.00	0.955	0.06	10.000	0.40	104.713	4.58	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.07	120.226	0.49	1258.925	0.00		



T1522 - Sample 6 - R.Kiln 2 Feed - Average, Tuesday, 19 November 2013 11:04:06 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 6 - R.Kiln 2 Feed rep - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 3:01:45 PM
Particle RI: 2.940
Absorption: 1


Weighted Residual: 0.825 %
Obscuration: 9.04 %
Span : 3.169
d (0.5) : 124.783 um
d (0.8) : 300.176 um
d (1.0) : 803.507 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.05	11.482	0.46	120.226	5.26	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.06	13.183	0.58	138.038	5.14	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.07	15.136	0.74	158.489	4.93	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.07	17.378	0.95	181.970	4.69	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.08	19.953	1.20	208.930	4.47	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.09	22.909	1.49	239.883	4.30	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.10	26.303	1.81	275.423	4.18	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.12	30.200	2.16	316.228	4.04	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.13	34.674	2.54	363.078	3.84	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.15	39.811	2.93	416.869	3.49	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.17	45.709	3.33	478.630	2.96	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.18	52.481	3.73	549.541	2.23	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.20	60.256	4.14	630.957	1.43	6606.934	0.00
0.060	0.00	0.631	0.01	6.607	0.23	69.183	4.53	724.436	0.45	7585.776	0.00
0.069	0.00	0.724	0.03	7.586	0.26	79.433	4.87	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.04	8.710	0.30	91.201	5.12	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.04	10.000	0.37	104.713	5.26	1096.478	0.00		
0.105	0.00	1.096	0.04	11.482		120.226		1258.925	0.00		



T1522 - Sample 6 - R.Kiln 2 Feed rep - Average, Tuesday, 19 November 2013 3:01:45 PM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 7 - Precip Tank 3 - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 11:33:27 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.503 %
Obscuration: 8.12 %
Span : 1.023
d (0.5) : 315.644 **um**
d (0.8) : 438.668 **um**
d (1.0) : 803.583 **um**

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	0.96	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	2.35	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	4.43	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	7.05	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	9.75	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	12.08	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	13.45	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.00	316.228	13.54	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.00	363.078	12.29	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.00	416.869	9.96	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.00	478.630	7.12	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.00	549.541	4.31	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.00	630.957	2.10	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.00	724.436	0.51	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.00	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.00	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.00	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226	0.12	1258.925	0.00		



T1522 - Sample 7 - Precip Tank 3 - Average, Tuesday, 19 November 2013 11:33:27 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 7 - Precip Tank 3 rep - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 2:44:36 PM
Particle RI: 2.940
Absorption: 1


Weighted Residual: 1.775 %
Obscuration: 9.21 %
Span : 1.130
d (0.5) : 307.448 um
d (0.8) : 441.238 um
d (1.0) : 822.405 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.00	120.226	1.84	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.00	138.038	3.44	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.00	158.489	5.41	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.00	181.970	7.62	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.00	208.930	9.70	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.00	239.883	11.37	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.00	275.423	12.27	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.00	316.228	12.21	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.00	363.078	11.17	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.00	416.869	9.31	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.00	478.630	6.99	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.00	549.541	4.56	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.00	630.957	2.48	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.00	69.183	0.00	724.436	0.76	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.00	79.433	0.00	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.00	91.201	0.11	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.00	104.713	0.77	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226		1258.925	0.00		



T1522 - Sample 7 - Precip Tank 3 rep - Average, Tuesday, 19 November 2013 2:44:36 PM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 8 - AMV Filter Belt - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 7:58:16 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.552 %
Obscuration: 11.82 %
Span : 1.443
d (0.5) : 334.997 um
d (0.8) : 511.965 um
d (1.0) : 1991.356 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.13	120.226	1.14	1258.925	0.44
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.13	138.038	2.18	1445.440	0.36
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.14	158.489	3.60	1659.587	0.23
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.17	181.970	5.36	1905.461	0.06
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.22	208.930	7.20	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.29	239.883	8.90	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.38	275.423	10.13	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.49	316.228	10.68	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.02	34.674	0.58	363.078	10.40	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.05	39.811	0.65	416.869	9.35	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.07	45.709	0.66	478.630	7.73	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.08	52.481	0.61	549.541	5.84	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.09	60.256	0.49	630.957	4.01	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.10	69.183	0.34	724.436	2.50	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.11	79.433	0.23	831.764	1.45	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.12	91.201	0.26	954.993	0.83	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.12	104.713	0.53	1096.478	0.55		
0.105	0.00	1.096	0.00	11.482	0.13	120.226		1258.925			



MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 8 - AMV Filter Belt rep - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 8:16:40 AM
Particle RI: 2.940
Absorption: 1


Weighted Residual: 1.538 %
Obscuration: 12.51 %
Span : 1.571
d (0.5) : 332.490 um
d (0.8) : 522.395 um
d (1.0) : 1994.27 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.12	120.226	1.38	1258.925	0.72
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.13	138.038	2.44	1445.440	0.58
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.14	158.489	3.83	1659.587	0.35
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.18	181.970	5.50	1905.461	0.09
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.23	208.930	7.20	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.30	239.883	8.73	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.39	275.423	9.79	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.49	316.228	10.19	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.01	34.674	0.58	363.078	9.85	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.04	39.811	0.64	416.869	8.82	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.07	45.709	0.65	478.630	7.30	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.08	52.481	0.59	549.541	5.57	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.09	60.256	0.49	630.957	3.93	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.10	69.183	0.37	724.436	2.60	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.11	79.433	0.31	831.764	1.68	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.11	91.201	0.39	954.993	1.14	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.12	104.713	0.72	1096.478	0.87		
0.105	0.00	1.096	0.00	11.482		120.226		1258.925			



T1522 - Sample 8 - AMV Filter Belt rep - Average, Thursday, 21 November 2013 8:16:40 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 14 - Bin 504 - Average
SOP Name: Hematite
Job #:
Measured: Tuesday, 19 November 2013 11:48:33 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 0.537 %
Obscuration: 18.51 %
Span : 2.229
d (0.5) : 12.109 um
d (0.8) : 23.114 um
d (1.0) : 70.769 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.29	11.482	6.28	120.226	0.00	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.43	13.183	6.54	138.038	0.00	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.62	15.136	6.62	158.489	0.00	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.85	17.378	6.48	181.970	0.00	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	1.14	19.953	6.09	208.930	0.00	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	1.48	22.909	5.47	239.883	0.00	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	1.86	26.303	4.66	275.423	0.00	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	2.26	30.200	3.73	316.228	0.00	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	2.67	34.674	2.78	363.078	0.00	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	3.06	39.811	1.88	416.869	0.00	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	3.45	45.709	1.13	478.630	0.00	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	3.83	52.481	0.56	549.541	0.00	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	4.22	60.256	0.14	630.957	0.00	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	4.62	69.183	0.02	724.436	0.00	7585.776	0.00
0.069	0.00	0.724	0.05	7.586	5.05	79.433	0.00	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.12	8.710	5.49	91.201	0.00	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.19	10.000	5.92	104.713	0.00	1096.478	0.00		
0.105	0.00	1.096	0.19	11.482	6.28	120.226	0.00	1258.925	0.00		



T1522 - Sample 14 - Bin 504 - Average, Tuesday, 19 November 2013 11:48:33 AM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 14 - Bin 504 rep - Average
SOP Name: Hematite
Job #: T1522
Measured: Wednesday, 20 November 2013 11:43:35 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 0.938 %
Obscuration: 10.87 %
Span : 2.479
d (0.5) : 11.292 **um**
d (0.8) : 22.965 **um**
d (1.0) : 175.367 **um**

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.28	11.482	5.82	120.226	0.28	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.44	13.183	5.99	138.038	0.27	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.66	15.136	6.02	158.489	0.13	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.96	17.378	5.87	181.970	0.00	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	1.32	19.953	5.52	208.930	0.00	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	1.74	22.909	4.96	239.883	0.00	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	2.20	26.303	4.24	275.423	0.00	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	2.68	30.200	3.41	316.228	0.00	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	3.14	34.674	2.55	363.078	0.00	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	3.56	39.811	1.75	416.869	0.00	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	3.93	45.709	1.07	478.630	0.00	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	4.24	52.481	0.57	549.541	0.00	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	4.52	60.256	0.25	630.957	0.00	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	4.77	69.183	0.09	724.436	0.00	7585.776	0.00
0.069	0.00	0.724	0.04	7.586	5.03	79.433	0.09	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.10	8.710	5.31	91.201	0.17	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.17	10.000	5.58	104.713	0.24	1096.478	0.00		
0.105	0.00	1.096	0.28	11.482	5.82	120.226	0.28	1258.925	0.00		



MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 15 - FeV Bin - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Wednesday, 20 November 2013 12:22:09 PM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 0.264 %
Obscuration: 16.24 %
Span : 3.408
d (0.5) : 10.473 **um**
d (0.8) : 24.140 **um**
d (1.0) : 1970.51 **um**

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.58	11.482	5.55	120.226	0.06	1258.925	0.11
0.011	0.00	0.120	0.00	1.259	0.73	13.183	5.35	138.038	0.05	1445.440	0.10
0.013	0.00	0.138	0.00	1.445	0.91	15.136	5.05	158.489	0.04	1659.587	0.07
0.015	0.00	0.158	0.00	1.660	1.13	17.378	4.65	181.970	0.05	1905.461	0.02
0.017	0.00	0.182	0.00	1.905	1.39	19.953	4.20	208.930	0.10	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	1.71	22.909	3.72	239.883	0.15	2511.886	0.00
0.023	0.00	0.240	0.01	2.512	2.07	26.303	3.23	275.423	0.21	2884.032	0.00
0.026	0.00	0.275	0.06	2.884	2.48	30.200	2.75	316.228	0.29	3311.311	0.00
0.030	0.00	0.316	0.06	3.311	2.92	34.674	2.28	363.078	0.37	3801.894	0.00
0.035	0.00	0.363	0.08	3.802	3.39	39.811	1.85	416.869	0.42	4365.158	0.00
0.040	0.00	0.417	0.09	4.365	3.86	45.709	1.44	478.630	0.41	5011.872	0.00
0.046	0.00	0.479	0.12	5.012	4.31	52.481	1.07	549.541	0.34	5754.399	0.00
0.052	0.00	0.550	0.16	5.754	4.73	60.256	0.76	630.957	0.19	6606.934	0.00
0.060	0.00	0.631	0.21	6.607	5.09	69.183	0.51	724.436	0.07	7585.776	0.00
0.069	0.00	0.724	0.28	7.586	5.38	79.433	0.32	831.764	0.04	8709.636	0.00
0.079	0.00	0.832	0.36	8.710	5.56	91.201	0.20	954.993	0.07	10000.000	0.00
0.091	0.00	0.955	0.46	10.000	5.62	104.713	0.11	1096.478	0.09		
0.105	0.00	1.096		11.482		120.226		1258.925			



MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 15 - FeV Bin rep - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Wednesday, 20 November 2013 12:57:54 PM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.898 %
Obscuration: 19.07 %
Span : 2.690
d (0.5) : 9.421 um
d (0.8) : 19.324 um
d (1.0) : 75.543 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.55	11.482	6.17	120.226	0.00	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.70	13.183	5.79	138.038	0.00	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.89	15.136	5.28	158.489	0.00	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	1.12	17.378	4.67	181.970	0.00	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	1.41	19.953	4.04	208.930	0.00	2187.762	0.00
0.020	0.00	0.209	0.01	2.188	1.75	22.909	3.43	239.883	0.00	2511.886	0.00
0.023	0.00	0.240	0.04	2.512	2.16	26.303	2.87	275.423	0.00	2884.032	0.00
0.026	0.00	0.275	0.04	2.884	2.64	30.200	2.39	316.228	0.00	3311.311	0.00
0.030	0.00	0.316	0.04	3.311	3.16	34.674	1.97	363.078	0.00	3801.894	0.00
0.035	0.00	0.363	0.05	3.802	3.73	39.811	1.60	416.869	0.00	4365.158	0.00
0.040	0.00	0.417	0.06	4.365	4.31	45.709	1.24	478.630	0.00	5011.872	0.00
0.046	0.00	0.479	0.09	5.012	4.88	52.481	0.87	549.541	0.00	5754.399	0.00
0.052	0.00	0.550	0.12	5.754	5.41	60.256	0.50	630.957	0.00	6606.934	0.00
0.060	0.00	0.631	0.17	6.607	5.86	69.183	0.06	724.436	0.00	7585.776	0.00
0.069	0.00	0.724	0.24	7.586	6.19	79.433	0.00	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.32	8.710	6.37	91.201	0.00	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.43	10.000	6.36	104.713	0.00	1096.478	0.00		
0.105	0.00	1.096		11.482		120.226		1258.925			



T1522 - Sample 15 - FeV Bin rep - Average, Wednesday, 20 November 2013 12:57:54 PM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 16 - FeV Bin - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Wednesday, 20 November 2013 2:06:07 PM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 0.518 %
Obscuration: 12.59 %
Span : 5.208
d (0.5) : 10.789 um
d (0.8) : 41.388 um
d (1.0) : 168.886 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.59	11.482	2.30	120.226	0.22	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.91	13.183	2.27	138.038	0.07	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	1.31	15.136	2.37	158.489	0.02	1659.587	0.00
0.015	0.00	0.158	0.02	1.660	1.79	17.378	2.60	181.970	0.00	1905.461	0.00
0.017	0.00	0.182	0.06	1.905	2.32	19.953	2.93	208.930	0.00	2187.762	0.00
0.020	0.00	0.209	0.07	2.188	2.88	22.909	3.31	239.883	0.00	2511.886	0.00
0.023	0.00	0.240	0.08	2.512	3.42	26.303	3.70	275.423	0.00	2884.032	0.00
0.026	0.00	0.275	0.08	2.884	3.88	30.200	4.02	316.228	0.00	3311.311	0.00
0.030	0.00	0.316	0.07	3.311	4.21	34.674	4.21	363.078	0.00	3801.894	0.00
0.035	0.00	0.363	0.06	3.802	4.38	39.811	4.23	416.869	0.00	4365.158	0.00
0.040	0.00	0.417	0.04	4.365	4.36	45.709	4.03	478.630	0.00	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	4.19	52.481	3.64	549.541	0.00	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	3.88	60.256	3.08	630.957	0.00	6606.934	0.00
0.060	0.00	0.631	0.03	6.607	3.50	69.183	2.42	724.436	0.00	7585.776	0.00
0.069	0.00	0.724	0.10	7.586	3.10	79.433	1.75	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.20	8.710	2.74	91.201	1.13	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.36	10.000	2.46	104.713	0.63	1096.478	0.00		
0.105	0.00	1.096		11.482		120.226		1258.925			



T1522 - Sample 16 - FeV Bin - Average, Wednesday, 20 November 2013 2:06:07 PM

MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report


Sample Name: T1522 - Sample 16 - FeV Bin rep - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Wednesday, 20 November 2013 2:44:13 PM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 3.857 %
Obscuration: 16.46 %
Span : 5.968
d (0.5) : 8.506 um
d (0.8) : 37.768 um
d (1.0) : 99.908 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.71	11.482	2.38	120.226	0.00	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	1.07	13.183	2.27	138.038	0.00	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	1.52	15.136	2.27	158.489	0.00	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	2.06	17.378	2.38	181.970	0.00	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	2.66	19.953	2.59	208.930	0.00	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	3.27	22.909	2.87	239.883	0.00	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	3.85	26.303	3.21	275.423	0.00	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	4.34	30.200	3.56	316.228	0.00	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	4.68	34.674	3.88	363.078	0.00	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	4.83	39.811	4.08	416.869	0.00	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	4.80	45.709	4.09	478.630	0.00	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	4.58	52.481	3.81	549.541	0.00	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	4.23	60.256	3.19	630.957	0.00	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	3.80	69.183	2.26	724.436	0.00	7585.776	0.00
0.069	0.00	0.724	0.03	7.586	3.35	79.433	0.95	831.764	0.00	8709.636	0.00
0.079	0.00	0.832	0.25	8.710	2.94	91.201	0.11	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.43	10.000	2.61	104.713	0.00	1096.478	0.00		
0.105	0.00	1.096	0.43	11.482	2.61	120.226	0.00	1258.925	0.00		



MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 9 - AMV Thickener UF rep - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 6:51:58 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.482 %
Obscuration: 15.94 %
Span : 1.238
d (0.5) : 330.378 um
d (0.8) : 483.923 um
d (1.0) : 934.039 um

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.08	120.226	1.22	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.09	138.038	2.35	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.10	158.489	3.88	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.12	181.970	5.76	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.16	208.930	7.74	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.21	239.883	9.58	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.28	275.423	10.93	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.36	316.228	11.54	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.43	363.078	11.26	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.48	416.869	10.10	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.49	478.630	8.27	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.44	549.541	6.08	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.00	60.256	0.33	630.957	3.88	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.03	69.183	0.22	724.436	1.98	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.05	79.433	0.14	831.764	0.53	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.07	91.201	0.21	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.08	104.713	0.54	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.08	120.226		1258.925	0.00		



MASTERSIZER 2000



NAGROM
the mineral processor

Ph: +61 (0)8 9399 3934
Fx: +61 (0)8 9497 1415


49 Owen Road Kelmscott WA
PO Box 66 Kelmscott WA 6991

Result: Analysis Report

Sample Name: T1522 - Sample 9 - AMV Thickener UF - Average
SOP Name: Hematite - conglomerates
Job #: T1522
Measured: Thursday, 21 November 2013 6:38:15 AM
Particle RI: 2.940
Absorption: 1

Weighted Residual: 1.378 %
Obscuration: 12.51 %
Span : 1.254
d (0.5) : 330.944 **um**
d (0.8) : 484.610 **um**
d (1.0) : 930.1 **um**

Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %	Size (µm)	Volume In %
0.010	0.00	0.105	0.00	1.096	0.00	11.482	0.10	120.226	1.15	1258.925	0.00
0.011	0.00	0.120	0.00	1.259	0.00	13.183	0.11	138.038	2.20	1445.440	0.00
0.013	0.00	0.138	0.00	1.445	0.00	15.136	0.13	158.489	3.66	1659.587	0.00
0.015	0.00	0.158	0.00	1.660	0.00	17.378	0.15	181.970	5.50	1905.461	0.00
0.017	0.00	0.182	0.00	1.905	0.00	19.953	0.20	208.930	7.47	2187.762	0.00
0.020	0.00	0.209	0.00	2.188	0.00	22.909	0.26	239.883	9.33	2511.886	0.00
0.023	0.00	0.240	0.00	2.512	0.00	26.303	0.34	275.423	10.74	2884.032	0.00
0.026	0.00	0.275	0.00	2.884	0.00	30.200	0.44	316.228	11.44	3311.311	0.00
0.030	0.00	0.316	0.00	3.311	0.00	34.674	0.53	363.078	11.26	3801.894	0.00
0.035	0.00	0.363	0.00	3.802	0.00	39.811	0.59	416.869	10.19	4365.158	0.00
0.040	0.00	0.417	0.00	4.365	0.00	45.709	0.61	478.630	8.41	5011.872	0.00
0.046	0.00	0.479	0.00	5.012	0.00	52.481	0.57	549.541	6.21	5754.399	0.00
0.052	0.00	0.550	0.00	5.754	0.03	60.256	0.47	630.957	3.95	6606.934	0.00
0.060	0.00	0.631	0.00	6.607	0.05	69.183	0.34	724.436	1.90	7585.776	0.00
0.069	0.00	0.724	0.00	7.586	0.07	79.433	0.24	831.764	0.37	8709.636	0.00
0.079	0.00	0.832	0.00	8.710	0.08	91.201	0.27	954.993	0.00	10000.000	0.00
0.091	0.00	0.955	0.00	10.000	0.09	104.713	0.54	1096.478	0.00		
0.105	0.00	1.096	0.00	11.482	0.00	120.226		1258.925	0.00		



T1522 - Sample 9 - AMV Thickener UF - Average, Thursday, 21 November 2013 6:38:15 AM